

PADRÕES E TENDÊNCIAS DA PRODUÇÃO CIENTÍFICA SOBRE ANUROS DA REGIÃO CENTRO-OESTE DO BRASIL

Leonice Oliveira Teodoro^{1}, Aline Lara Bueno Nogueira de Souza¹, Thaís Andrade de Carvalho Silva¹, Perciliana Lara Bueno Nogueira*

Franco¹ & Alessandro Ribeiro de Moraes¹

¹ Instituto Federal Goiano, Programa de Pós-Graduação em Biodiversidade e Conservação, Rod. Sul Goiana, Km 01, Zona Rural, CEP 75.901-970, Rio Verde, GO, Brasil.

*E-mails: leoniceoliveira1212@hotmail.com (*autor correspondente); alinelaran@yahoo.com.br; thais.biorv@outlook.com; plbn21@yahoo.com.br; alessandro.morais@ifgoiano.edu.br*

Material Suplementar 1. Relação de espécies e as classes de estudos registradas no presente estudo.

Supplementary Material 1. Relationship of species and classes of studies reported in this study.

Espécies	Inventários	Taxonomia	História natural	Distribuição	Bioprospecção	Dinâmica populacional	Genética	Impacto antrópico	Relações interespecíficas	Morfologia
<i>Adelphobates galactonotus</i>										41
<i>Adenomera andreae</i>	20							4		
<i>Adenomera cotuba</i>		22								
<i>Adenomera diptyx</i>	31; 40; 60; 68; 76; 79		26; 68; 83							
<i>Adenomera hylaedactyla</i>	36; 56; 68; 70; 74; 76		43							
<i>Adenomera juiquitam</i>		21								
<i>Adenomera marmorata</i>	36			59						
<i>Adenomera martinezi</i>	68; 76		43	59						
<i>Allobates brunneus</i>		48	48							
<i>Allobates goianus</i>			22	22						
<i>Ameerega berohoka</i>		84								
<i>Ameerega braccata</i>	68; 76		33; 34; 35; 55							
<i>Ameerega flavopicta</i>	14; 74		16; 50	59	57					
<i>Ameerega picta</i>	68; 76; 82	58						4		
<i>Barycholos ternetzi</i>	14; 36; 70; 74			59						
<i>Boana albopunctata</i>	14; 20; 40; 54; 68; 70; 74; 76; 79		68	59		25		4	40; 45	
<i>Boana boans</i>	36							4		
<i>Boana caingua</i>	68; 76									
<i>Boana crepitans</i>	68; 76									
<i>Boana fasciata</i>								4		

<i>Boana geographica</i>	40; 68; 76; 79				4	
<i>Boana goiana</i>	14		25			1
<i>Boana leucocheila</i>		73				
<i>Boana lundii</i>	14; 36; 54; 56; 68; 74; 76	43	59	25		1
<i>Boana multifaciata</i>	56		59			
<i>Boana paranaiba</i>	54; 56; 68; 74; 76	43				
<i>Boana picturata</i>	36; 40; 54; 68; 70; 76; 77; 79; 82					
<i>Boana raniceps</i>	20; 31; 36; 40; 54; 56; 60; 68; 70; 74; 76; 77; 79; 82	26; 43; 68; 72; 83	59			
<i>Bokermannohyla pseudopseudis</i>	14	23				
<i>Bokermannohyla sapiranga</i>		9				
<i>Ceratophrys cranwelli</i>	68; 76; 77					
<i>Chiasmocleis albopunctata</i>	24; 36; 54; 60; 68; 70; 74; 76; 77; 82	83	59		27	
<i>Chiasmocleis avilapiresae</i>		62;			4	
<i>Chiasmocleis mehelvi</i>	68; 76	68				
<i>Dendropsophus anataliasiasi</i>	20					
<i>Dendropsophus araguaya</i>	68; 76					
<i>Dendropsophus cerradensis</i>	68; 76					
<i>Dendropsophus cruzi</i>	36; 54; 56; 68; 70; 74; 76	43; 81	59	25		1
<i>Dendropsophus elianae</i>	31; 40; 60; 68; 76; 79; 82	83				
<i>Dendropsophus jimi</i>	40; 56; 68; 70; 76; 79	43				
<i>Dendropsophus melanargyreus</i>	60; 68; 74; 76; 77					
<i>Dendropsophus microcephalus</i>	20; 54; 82				4	
<i>Dendropsophus minutus</i>	14; 20; 24; 36; 40; 54; 56; 60; 68; 70; 74; 76; 79; 82	1	26; 29; 43; 55	59	25	4
<i>Dendropsophus nanus</i>	6; 14; 20; 31; 36; 40; 54; 56; 60; 64;	6; 26; 30; 68; 83				45

	68; 74; 76; 77; 79; 82				
<i>Dendropsophus rubicundulus</i>	36; 54; 56; 70; 74; 82				
<i>Dendropsophus sanborni</i>	36; 56; 68; 76				
<i>Dendropsophus soaresi</i>	24; 56; 74; 70		59		
<i>Dendropsophus tritaeniatus</i>	20; 68; 76				
<i>Dermatonotus muelleri</i>	6; 60; 68; 76; 77	6		27	
<i>Elachistocleis bicolor</i>	64; 68; 76; 77; 82	68			
<i>Elachistocleis cesarii</i>	20; 24; 36; 54; 68; 70; 74; 76				
<i>Elachistocleis corumbaensis</i>		65			
<i>Elachistocleis magnus</i>	60				
<i>Elachistocleis matogrosso</i>	60; 68; 76	26; 83			
<i>Elachistocleis ovalis</i>	56; 77	43	59		
<i>Engystomops freibergeri</i>				4	
<i>Haddadus binotatus</i>	68; 76				
<i>Ischnocnema juipoca</i>	14				
<i>Lepidobatrachus asper</i>	68; 76				
<i>Leptodactylus bufonius</i>	60; 68; 76; 77				
<i>Leptodactylus chaquensis</i>	6; 20; 60; 64;	6; 26; 30; 68; 83	1	27	44; 47
<i>Leptodactylus didymus</i>	68; 76; 77; 82			4	
<i>Leptodactylus elenae</i>	31; 60; 64; 68; 76; 77; 82	26; 68; 83			
<i>Leptodactylus fumarius</i>	36; 40; 56; 68; 70; 76; 79	43			
<i>Leptodactylus fuscus</i>	6; 14; 24; 31; 36; 40; 54; 56; 60; 64; 68; 70; 74; 76; 77; 79; 82	6; 26; 43; 68; 83	59		45; 47
<i>Leptodactylus gracilis</i>	68; 76				
<i>Leptodactylus latrans</i>	24; 36; 40; 54; 56; 68; 70; 74; 76; 79	26	59	25	1
<i>Leptodactylus leptodactyloides</i>	36			4	

<i>Leptodactylus macrosternum</i>		43; 68				
<i>Leptodactylus mystaceus</i>	14; 20; 36; 54; 68; 74; 76		59			
<i>Leptodactylus mystacinus</i>	6; 24; 31; 36; 40; 54; 56; 60; 68; 70; 74; 76; 79; 82	6	1	2	27	
<i>Leptodactylus pentadactylus</i>	6; 14; 20; 31; 36; 54; 56; 60; 68; 70; 74; 76; 77; 82	6	59	25	4	45
<i>Leptodactylus podicipinus</i>	20; 31; 40; 54; 56; 60; 64; 68; 70; 74; 76; 77; 79; 82; 83	26; 30; 43; 68			4	11; 13; 44
<i>Leptodactylus pustulatus</i>	54					
<i>Leptodactylus sertanejo</i>	54; 68; 76	43				
<i>Leptodactylus syphax</i>	06; 31; 36; 56; 68; 74; 76; 82	6	59			
<i>Leptodactylus troglodytes</i>	14					
<i>Lithobates catesbeianus</i>						53
<i>Lithobates palmipes</i>					4	
<i>Lysapsus caraya</i>	54					
<i>Lysapsus limellum</i>	68; 76	68; 83				
<i>Melanophryniscus fulvoguttatus</i>	68; 76; 77; 82					
<i>Melanophryniscus klappenbachi</i>	68; 76					
<i>Odontophrynus americanos</i>	56; 68; 76; 77; 82					
<i>Odontophrynus cultripes</i>	74			25		1
<i>Ololygon catharinae</i>	36; 74					
<i>Ololygon centralis</i>		1; 8				
<i>Ololygon skaios</i>		67				
<i>Oreobates crepitans</i>	68; 76					
<i>Oreobates heterodactylus</i>		39	39			
<i>Osteocephalus ayarzaguenai</i>					4	
<i>Osteocephalus taurinus</i>	20; 68; 76				4	18
<i>Phyllomedusa vaillanti</i>					4	

<i>Physalaemus albonotatus</i>	06; 31; 40; 60; 68; 76; 77; 79		06; 26; 68; 83				
<i>Physalaemus centralis</i>	24; 31; 36; 54; 56; 60; 68; 70; 74; 76		43; 83				
<i>Physalaemus cuvieri</i>	14; 20; 24; 31; 36; 40; 54; 56; 68; 70; 74; 76; 79		43	59	25	80	1
<i>Physalaemus marmoratus</i>	24; 54; 68; 70; 76						
<i>Physalaemus nattereri</i>	14; 20; 24; 36; 40; 54; 56; 60; 68; 70; 74; 76; 77; 79; 82		43; 83			75	
<i>Pithecopus araguaeus</i>		37					
<i>Pithecopus azureus</i>	36; 40; 54; 56; 60; 68; 74; 76; 77; 79; 82		17; 38; 71	59			
<i>Pithecopus boliviana</i>	68; 76						
<i>Pithecopus hypochondrialis</i>	06; 20; 56		6; 68		25	1	45
<i>Pithecopus sauvagii</i>	68; 76; 77; 82		71				
<i>Pleurodema fuscomaculatum</i>	60; 68; 76; 77	42	68; 83				
<i>Pristimantis dundeei</i>	20; 68; 76	39	39				
<i>Pristimantis fenestratus</i>		39	39				
<i>Pristimantis ventrigranulosus</i>		49					
<i>Proceratophrys bagnoi</i>	36						
<i>Proceratophrys cristiceps</i>				59			
<i>Proceratophrys dibernardoi</i>	31						
<i>Proceratophrys goyana</i>	14; 68; 74; 76			59			
<i>Proceratophrys huntingtoni</i>	6		6				
<i>Proceratophrys rotundipalpebra</i>		52	52				52
<i>Proceratophrys vielliardi</i>		5; 51					
<i>Pseudis bolbodactyla</i>	36; 54; 56; 68; 70; 74; 76						
<i>Pseudis limellum</i>	60; 77		30				
<i>Pseudis paradoxa</i>	6; 60; 68; 76; 82		6; 26; 30; 68				
<i>Pseudis platensis</i>	40; 77; 79					12	

<i>Pseudopaludicola atragula</i>			3			
<i>Pseudopaludicola boliviana</i>	68; 76					
<i>Pseudopaludicola falcipes</i>	56; 68; 76; 77	43; 68				
<i>Pseudopaludicola ibisoroca</i>		61				
<i>Pseudopaludicola motorzinho</i>		61				
<i>Pseudopaludicola mystacalis</i>	60; 68; 74; 76; 82	26; 43				
<i>Pseudopaludicola saltica</i>	20; 40; 56; 68; 70; 74; 76; 79	43				
<i>Pseudopaludicola ternetzi</i>	40; 68; 76; 79					
<i>Rhaebo guttatus</i>			7; 32			4
<i>Rhinella azarai</i>	68; 76					
<i>Rhinella bergi</i>	68; 76; 77	26; 83				
<i>Rhinella cerradensis</i>	24; 74	43				
<i>Rhinella diptycha</i>	06; 14; 20; 31; 36; 40; 54; 56; 60; 68; 70; 76; 77; 79; 82	6; 26; 68	59	25	2	45; 46
<i>Rhinella granulosa</i>	64	1				45
<i>Rhinella major</i>	60; 68; 76; 77					
<i>Rhinella margaritifera</i>						4
<i>Rhinella marina</i>			7; 32			4
<i>Rhinella mirandaribeiroi</i>	36; 54; 56; 68; 70; 76					
<i>Rhinella ocellata</i>	68; 74; 76					
<i>Rhinella paraguayensis</i>	68; 76					
<i>Rhinella rubescens</i>	68; 76		19	25		1
<i>Rhinella scitula</i>	68; 76; 82		78			
<i>Scinax acuminatus</i>	06; 60; 64; 68; 76; 77	06; 26; 30; 68; 72; 83				
<i>Scinax constrictus</i>	36; 54; 56; 68; 76					
<i>Scinax fuscovarius</i>	06; 14; 20; 24; 31; 36; 40; 54; 56; 60; 68; 70; 74; 76; 77; 79; 82	6; 26; 43	59		27	45

<i>Scinax nasicus</i>	06; 60; 68; 76; 77; 82; 83		6; 26; 68		27
<i>Scinax nebulosus</i>					4
<i>Scinax pusillus</i>	20; 24; 36; 40; 54; 56; 60; 68; 70; 74; 76; 77; 79; 82	66	26; 43; 68; 83	59	
<i>Scinax rogerioi</i>		69			
<i>Scinax ruber</i>	20; 54; 56; 68; 74; 76; 82		43		4
<i>Scinax similis</i>	68; 76				
<i>Scinax squalirostris</i>	68; 76; 82		28		
<i>Scinax x signatus</i>	56; 68; 74; 76				
<i>Teratohyla adenocheira</i>					4
<i>Trachycephalus mambaiensis</i>		15			
<i>Trachycephalus typhonius</i>	6; 20; 36; 40; 54; 60; 68; 74; 76; 77; 79; 82		6; 26; 68; 83		2 45; 63

REFERÊNCIAS

1. Alcantara, MB., Lima, LP., Bastos, RP. 2007. Breeding activity of *Scinax centralis* (Anura, Hylidae) in Central Brazil. *Iheringia. Série Zoologia*, 97 (4):406-410. DOI:10.1590/S0073-47212007000400008
2. Amaro-Ghilardi, RC., Skuk, G., De Sá, RO., Rodrigues, MT., Yonenaga-Yassuda, Y. 2006. Karyotypes of eight species of *Leptodactylus* (Anura, Leptodactylidae) with a description of a new karyotype for the genus. *Phyllomedusa*, 5 (2), 119-133. DOI:10.11606/issn.2316-9079.v5i2p119-133

3. Andrade, MS., Ramalho, WP., De Carvalho, TR., Maciel, NM. 2016. The first record of *Pseudopaludicola atragula* Pansonato, Mudrek, Veiga-Menoncello, Rossa-Feres, Martins & Strüssmann, 2014 (Anura: Leptodactylidae) in the state of Goiás, central Brazil. *Check List*, 12 (5), 1-5. DOI: 10.15560/12.5.1961
4. Ávila, RW., Kawashita-Ribeiro, RA., 2011. Herpetofauna of São João da Barra hydroelectric plant, state of Mato Grosso, Brazil. *Check List*, 7 (6), 750-755. DOI:10.15560/11014
5. Ávila, RW., Pansonato, A, Struessmann, C. 2012. A New Species of *Proceratophrys* (Anura: Cycloramphidae) from Midwestern Brazil. *Journal of Herpetology*, 46 (4), 466-472 DOI: /10.1670/11-038
6. Ávila, RW., Ferreira, VL. 2004. Richness of species and density of vocalization of anurans in an urban area of Corumbá, Mato Grosso do Sul, Brazil. *Revista Brasileira de Zoologia*, 21 (4), 887-892. DOI: 10.1590/S0101-81752004000400024
7. Banfi, FF., Guedes, KS., Andrighetti, CR., Aguiar, AC., Debiassi, BW., Noronha, JC., Rodrigues, DJ., Vieira Junior, GM., Sanchez, BAM. 2016. Antiplasmodial and cytotoxic activities of toad venoms from Southern Amazon, Brazil. *The Korean Journal of Parasitology*, 54 (4), 415-421. DOI:10.3347 / kjp.2016.54.4.415
8. Bastos, RP., Alcantara, MB, Morais, AR., Lingnau, R., Signorelli, L. 2011. Vocal behaviour and conspecific call response in *Scinax centralis*. *Herpetological Journal*, 21 (1), 43-50.

9. Brandão, RA., De Magalhaes, RF., Garda, AA., Campos, LA., Sebben, A., Maciel, NM. 2012. A new species of *Bokermannohyla* (Anura: Hylidae) from highlands of Central Brazil. *Zootaxa*, 3527, 28-42.
10. Brandão, RA., Araújo, AFB. 2008. Changes in anuran species richness and abundance resulting from hydroelectric dam flooding in Central Brazil. *Biotropica*, 40, 263-266. DOI: 10.1111 / j.1744-7429.2007.00356.x
11. Campiao, KM., da Silva, RJ., Ferreira, VL. 2009. Helminth parasites of *Leptodactylus podicipinus* (Anura: Leptodactylidae) from south-eastern Pantanal, State of Mato Grosso do Sul, Brazil. *Journal of Helminthology*, 83 (4), 345-349. DOI: 10.1017 / S0022149X09289358
12. Campiao, KM., da Silva, RJ., Ferreira, VL. 2010. Helminth component community of the paradoxal frog *Pseudis platensis* Gallardo, 1961 (Anura: Hylidae) from south-eastern Pantanal, Brazil. *Parasitology Research*, 106 (3), 747-751 DOI: 10.1007/s00436-009-1718-0
13. Campiao, KM., da Silva, RJ., Ferreira, VL. 2014. Helminth parasite communities of allopatric populations of the frog *Leptodactylus podicipinus* from Pantanal, Brazil. *Journal of Helminthology*, 88 (1), 1-7. DOI: 10.1017/S0022149X12000557
14. Campos, FS., Lage, LARB. 2013. Checklist of amphibians and reptiles from the Nova Roma Ecological Station, in the Cerrado of the State of Goiás, central Brazil. *Herpetology Notes*, 6 (1), 431-438
15. Cintra, CED, Silva, HLR, Da Silva, NJ., Garcia, PCD., Zaher, H. 2009. A new species of *Trachycephalus* (Amphibia, Anura, Hylidae) from the State of Goiás, Brazil. *Zootaxa*, 1975 (1175-5326), 58-68. DOI: 10.5281 / zenodo.185123

16. Costa, RC., Facure, KG., Giaretta, AA. 2006. Courtship, vocalization, and tadpole description of *Epipedobates flavopictus* (Anura: Dendrobatidae) in southern Goiás, Brazil. *Biota Neotropica*, 6(1). DOI:10.1590/S1676-06032006000100006
17. Costa, TB., Guimarães, LD., Bastos, RP. 2010. Territorial and mating behavior in *Phyllomedusa azurea* (Anura: Hylidae) at a temporary pond in west-central Brazil. *Phyllomedusa*, 9 (2), 99-108.
18. Costa-Pereira, R, Martins, FI., Sczesny-Moraes, EA., Brescovit, A. 2010. Predation on young treefrog (*Osteocephalus taurinus*) by arthropods (Insecta, Mantodea and Arachnida, Araneae) in Central Brazil. *Biota Neotropica*, 10 (3), 469-472. DOI:10.1590/S1676-06032010000300042
19. Cunha Filho GA., Schwartz, CA., Resck, IS., Murta, MM., Lemos, SS., Castro MS., Kyaw, C., Pires, OU. Jr., Leite, Jr., Bloch, Jr., Schwartz, EF. 2005. Antimicrobial activity of the bufadienolides marinobufagin and telocinobufagin isolated as major components from skin secretion of the toad *Bufo rubescens*. *Toxicon*, 45 (6), 777-782. DOI: 10.1016 / j.toxicon.2005.01.017
20. da Silva, MC., de Oliveira, RH., Morais, DH., Kawashita-Ribeiro, RA., de Brito, ES., Avila, RW. 2015. Amphibians and reptiles of a Cerrado area in Primavera do Leste Municipality, Mato Grosso State, Central Brazil. *Salamandra*, 51 (2), 187-194.
21. De Carvalho, TR., Giaretta, AA. 2013. Bioacoustics reveals two new syntopic species of *Adenomera Steindachner* (Anura: Leptodactylidae: Leptodactylinae) in the Cerrado of central Brazil. *North-Western Journal of Zoology*, 9 (2), 329-336.

22. de Carvalho, TR., Martins, LB., Giaretta, AA. 2016. A new account for the endangered Cerrado Rocket Frog *Allobates goianus* (Bokermann, 1975) (Anura: Aromobatidae), with comments on taxonomy and conservation. *Acta Herpetologica* 11(1), 21-30. DOI: 10.13128/Acta_Herpetol-17491
23. de Magalhaes, RF., Garda, AA., Marques, NCS., Brandao, RA. 2016. Sexual dimorphism and resource utilisation by the Veadeiros waterfall frog *Bokermannohyla pseudopseudis* (Anura: Hylidae). *Salamandra*, 52 (2), 171.
24. de Oliveira, SL., Silva, DDE, Bastos, RP., de Moraes, AR. 2015. Anuran Jatai in the municipality of covais, state of Goias. *Geoambiente On-Line*, (24). DOI: 10.5216/revgeoamb.v0i24.34139
25. Diniz-Filho, JAF., Bini, LM., Bastos, RP., Vieira, CM., Souza, MC., Motta, JAO., Pombal, JPI., Peixoto, JC. 2004. Anurans from a local assemblage in central Brazil: linking local processes with macroecological patterns. *Brazilian Journal of Biology*, 64 (1), 41-52. DOI: 10.1590/S1519-69842004000100006
26. Dorado-Rodrigues, TF., Layme, VMG., Silva, FHB., da Cunha, CN., Strussmann, C. 2015. Effects of shrub encroachment on the anuran community in periodically flooded grasslands of the largest Neotropical wetland. *Austral Ecology*, 40, 547-557. DOI: 10.1111/aec.12222
27. Duleba, S., Ferreira, VL. 2014. Herpetofauna associated with termite mounds in a pasture, Mato Grosso do Sul State, Brazil. *Herpetological Bulletin*, 127, 10-16.

28. Faria, DCD., Signorelli, L, Morais, AR., Bastos, RP., Maciel, NM. 2013. Geographic structure and acoustic variation in populations of *Scinax squalirostris* (A. Lutz, 1925) (Anura: Hylidae). North-Western Journal of Zoology, 9 (2), 329-336.
29. Ferreira, A., Mehanna, M. 2012. Seasonal testicular changes in *Dendropsophus minutus* Peters, 1872 (Anura, Hylidae). Biocell, 36 (2), 57-62.
30. Ferreira, A., Rosa, ABDS., Mehanna, M. 2009. Cellular organization of the testes in Hylidae and Leptodactylidae, in the Pantanal (Mato Grosso do Sul State, Brazil). Acta Scientiarum Biological Sciences, 31 (4), 447-452. DOI: 10.4025/actascibiolsci.v31i4.3332
31. Ferreira, M., Marcia, C., de Aquino Ribas, AC., de Souza, FL. 2017. Species composition and richness of anurans in Cerrado urban forests from central Brazil. Acta Herpetologica, 12 (2), 157-165. DOI: 10.13128/ActaHerpetol-18179
32. Ferreira, PMP., Lima, DJB., Debiasi, BW., Soares, BM, Machado, KD., Noronha, JD., Rodrigues, DD., Senhorin, AP., Pessoa, C., Vieira, GM. 2013. Antiproliferative activity of *Rhinella marina* and *Rhaebo guttatus* venom extracts from Southern Amazon. Toxicon, 72, 43-51. DOI: 10.1016/j.toxicon.2013.06.009.
33. Forti, LR., Mott, T., Struessmann, C. 2013. Breeding biology of *Ameerega braccata* (Steindachner, 1864) (Anura: Dendrobatidae) in the Cerrado of Brazil. Journal of Natural History, 47, 2363-2371, DOI: 10.1080/00222933.2013.773099

34. Forti, L. R., Strussmann, C., Mott, T. 2010. Acoustic communication and vocalization microhabitat in *Ameerega braccata* (Steindachner, 1864) (Anura, Dendrobatidae) from Midwestern Brazil. *Brazilian Journal of Biology*, 70 (1), 211-216. DOI: 10.1590/S1519-69842010000100029
35. Forti, LR., Tissiani, ASO., Mott, T., Strussmann, C. 2011. Diet of *Ameerega braccata* (Steindachner, 1864) (Anura: Dendrobatidae) from Chapada dos Guimaraes and Cuiaba, Mato Grosso State, Brazil. *Brazilian Journal of Biology*, 71 (1), 189-196. DOI:10.1590/S1519-69842011000100027
36. Gambale, PG., Voitovicz-Cardoso, M, Vieira, RR., Batista, VG., Ramos, J., Bastos, RP. 2014. Anuran richness and composition in remnants of Cerrado of Central Brazil. *Iheringia Série Zoologia, Porto Alegre*, 104 (1), 50-58. DOI:0.1590/1678-4766201410415058
37. Haga, IA., de Andrade, FS., Bruschi, DP., Recco-Pimentel, SM., Giaretta, AA. 2017. Unrevealing the leaf frogs Cerrado diversity: A new species of *Pithecopus* (Anura, Arboranae, Phyllomedusidae) from the Mato Grosso state, Brazil. *Plos One*, 12 (9). DOI: 10.1371/journal.pone.0184631
38. Haga, IA, de Carvalho, TR., de Andrade, FS., Giaretta, AA. 2017. Advertisement and aggressive calls of *Pithecopus azureus* (Anura: Phyllomedusidae) from the border of Brazil and Paraguay. *Phyllomedusa*, 16 (1), 47-56. DOI: 10.11606/issn.2316-9079.v16i1p47-56

39. Heyer, WR., Munoz, AM. 1999. Validation of *Eleutherodactylus crepitans* Bokermann, 1965, notes on the types and type locality of *Telatrema heterodactylum* Miranda-Ribeiro, 1937, and description of a new species of *Eleutherodactylus* from Mato Grosso, Brazil (Amphibia: Anura: Leptodactylidae). Proceedings of The Biological Society of Washington, 112 (1), 1-18.
40. Holmes, RM., Bocchiglieri, A., Araújo, FR., da Silva, RJ. 2008. New records of endoparasites infecting *Hypsiboas albopunctatus* (Anura: Hylidae) in a savanna area in Brasília, Brazil. Parasitology Research, 102 (4), 621-623. DOI: 10.1007 / s00436-007-0797-z
41. Hoogmoed, MS., Avila-Pires, TCS. 2012. Inventory of color polymorphism in populations of *Dendrobates galactonotus* (Anura: Dendrobatidae), a poison frog endemic to Brazil. Phyllomedusa: Journal of Herpetology, 11 (2), 95-115. DOI:10.11606/issn.2316-9079.v11i2p95-115
42. Kolenc, F., Baldo, D., Borteiro, C., Marangoni, F., Ferraro, DP., Faivovich, J. 2011. The identity of *Eupemphix fuscomaculatus* Steindachner, 1864 (Amphibia: Anura). Copeia, 2011 (4), 513-522. DOI: 10.2307 / 41416570
43. Kopp, K., Signorelli, L., Bastos, RP. 2010. Temporal distribution and diversity of reproductive modes in anuran amphibians in the Emas National Park and surrounding area, state of Goiás, Brazil. Iheringia Série Zoologia, 100 (3), 192-200. DOI: 10.1590/S0073-47212010000300002

44. Menezes Leal, DD., Dreyer, CS., Silva, RJ., Martins Ribolla, PE., Paduan, KD., Bianchi, I., O'Dwyer, LH. 2015. Characterization of *Hepatozoon* spp. in *Leptodactylus chaquensis* and *Leptodactylus podicipinus* from two regions of the Pantanal, state of Mato Grosso do Sul, Brazil. *Parasitology Research*, 114 (4), 1541-1549. DOI: 10.1007/s00436-015-4338-x
45. Menezes Leal, DD., O'Dwyer, LH., Ribeiro, VC., Silva, RJ., Ferreira, VL., Rodrigues, RB. 2009. Hemoparasites of the genus *Trypanosoma* (Kinetoplastida: Trypanosomatidae) and hemogregarines in Anurans of the Sao Paulo and Mato Grosso do Sul States - Brazil. *Anais da Academia Brasileira de Ciências*, 81 (2), 199-206. DOI: 10.1590/S0001-37652009000200006
46. Ledo, RMD., de Barros, RM., Pujol-Luz, JR. 2012. Sarcophagidae and Calliphoridae related to *Rhinella schneideri* (Anura, Bufonidae), *Bothrops moojeni* (Reptilia, Serpentes) and *Mabuya frenata* (Reptilia, Lacertilia) carcasses in Brasilia, Brazil. *Revista Brasileira de Entomologia*, 56 (3), 377-380. DOI:10.1590/S0085-56262012005000034
47. Lemos, M., Morais, DH., Carvalho, VT., D'Agosto, M. 2008. First record of *Trypanosoma chattoni* in Brazil and occurrence of other *Trypanosoma* species in Brazilian frogs (Anura, Leptodactylidae). *Journal of Parasitology*, 94 (1), 148-151. DOI: 10.1645/GE-1095.1
48. Lima, AP., Caldwell, JP., Strussmann, C. 2009. Redescription of *Allobates brunneus* (Cope) 1887 (Anura: Aromobatidae: Allobatinae), with a description of the tadpole, call, and reproductive behavior. *Zootaxa*, 1988, 1-16 DOI: 10.5281/zenodo.185498
49. Maciel, NM., Vaz-Silva, W., De Oliveira, RM, Padial, JM. 2012. A new species of *Pristimantis* (Anura: Strabomantidae) from the Brazilian Cerrado. *Zootaxa*, 3265 (3265), 43-56.

50. Magrini, L., Facure, KG., Giaretta, AA., da Silva, WR., Costa, RC. 2010. Geographic call variation and further notes on habitat of *Ameerega flavopicta* (Anura, Dendrobatidae). *Studies on Neotropical Fauna and Environment*. 45, 89-94. DOI: 10.1080/01650521.2010.494025
51. Martins, LB., Giaretta, AA. 2011. A new species of *Proceratophrys* Miranda-Ribeiro (Amphibia: Anura: Cycloramphidae) from central Brazil. *Zootaxa*, 2880 (2880), 41-50. DOI: 10.11646/zootaxa.2880.1.4
52. Martins, LB., Giaretta, AA. 2013. Morphological and acoustic characterization of *Proceratophrys goyana* (Lissamphibia: Anura: Odontophrynidae), with the description of a sympatric and related new species. *Zootaxa*, 3750 (4), 301-320. DOI: 10.11646/zootaxa.3750.4.1
53. Mazzoni, R., de Mesquita, AJ., Fleury, LFF., de Brito, WMED., Nunes, IA., Robert, J., Morales, H., Coelho, ASG., Barthasson, DL., Galli, L, Catroxo, MHB. 2009. Mass mortality associated with a frog virus 3-like Ranavirus infection in farmed tadpoles *Rana catesbeiana* from Brazil. *Diseases of aquatic organisms*, 86 (3), 181-91. DOI: 10.3354/dao02096
54. Melo, M., Fava, F., Pinto, HBA, Bastos, RP, Nomura, F. 2013. Anuran diversity (Amphibia) in the Extractivist Reserve Lado do Cedro, Goias. *Biota Neotropica*, 13 (2), 205-217.
55. Morais, AR., Batista, VG., Gambale, PG, Signorelli, L, Bastos, RP. 2012. Acoustic communication in a Neotropical frog (*Dendropsophus minutus*): vocal repertoire, variability and individual discrimination. *Herpetological Journal*, 22 (4).
56. Morais, AR., Signorelli, L., Gambale, PG., Kopp, K., Nomura, F., Guimaraes, LD, Vaz-Silva, W., Ramos, J., Bastos, RP. 2011. Anuran amphibians associated to water bodies in Southwest of Goias State (Brazil). *Biota Neotropica*, 11 (3), 355-363.

57. Mortari, MR., Schwartz, ENF., Schwartz, CA., Pires, OR., Santos, MM., Bloch, C., Sebben, A. 2004. Main alkaloids from the Brazilian dendrobatidae frog *Epipedobates flavopictus*: pumiliotoxin 251D, histrionicotoxin and decahydroquinolines. *Toxicon*, 43 (3), 303-310. DOI: 10.1016/j.toxicon.2004.01.001
58. Neves, MO., da Silva, LA., Akieda, PS., Cabrera, R., Koroiva, R., Santana, DJ. 2017. A new species of poison frog, genus *Ameerega* (Anura: Dendrobatidae), from the southern Amazonian rain forest. *Zootaxa*, 4221 (1), 71-94. DOI: 10.11646/zootaxa.4221.1.3
59. Oda, FH., Bastos, RP., Lima, MACS. 2010. Anuran assemblage in the cerrado of Niquelândia, Goiás state, Brazil: Diversity, local distribution and seasonality. *Biota Neotropica*, 9 (4), 219-232. DOI: 10.1590/S1676-06032009000400022
60. Pansonato, A., Mott, T., Struessmann, C. 2011. Anuran amphibians' diversity in a northwestern area of the Brazilian Pantanal. *Biota Neotropica*, 11 (4), 77-86. DOI:10.1590/S1676-06032011000400008
61. Pansonato, A., Veiga-Menoncello, ACP., Mudrek, JR., Jansen, M., Recco-Pimentel, SM., Martins, IA., Strussmann, C. 2016. Two New Species of *Pseudopaludicola* Miranda-Ribeiro, 1926 (Anura: Leptodactylidae: Leiuperinae) from Eastern Bolivia and Western Brazil. *Herpetologica*, 72 (3), 235-255. DOI:10.1655/Herpetologica-D-14-00047.1
62. Peloso, PLV., Sturaro, MJ. 2008. A new species of narrow-mouthed frog of the genus *Chiasmocleis* Mehely 1904 (Anura, Microhylidae) from the Amazonian rainforest of Brazil. *Zootaxa*, 1947, 39-52.

63. Pereira, FB., Campiao, KM., Luque, JL., Tavares, LER. 2017. *Parapharyngodon hugoi* n. sp., a new nematode (Oxyuroidea: Pharyngodonidae) of the tree frog *Trachycephalus typhonius* (Linnaeus) from the Brazilian Pantanal, including a key to the congeners from amphibians of the American continent. *Systematic Parasitology*, 94 (5). DOI: 10.1007/s11230-017-9725-5
64. Piatti, L., Souza, FL., Landgraf, P. 2010. Anuran assemblage in a rice field agroecosystem in the Pantanal of central Brazil. *Journal of Natural History*, 44, 1215-1224. DOI: 10.1080/00222930903499804
65. Piva, A., Caramaschi, U., De Albuquerque, NR. 2017. A new species of *Elachistocleis* (Anura: Microhylidae) from the Brazilian Pantanal. *Phyllomedusa*, 16 (2), 143-154. DOI: 10.11606/issn.2316-9079.v16i2p143-154
66. Pombal, JP., Bilate, M., Gambale, PG., Signorelli, L., Bastos, RP. 2011. A new miniature treefrog of the *Scinax ruber* clade from the cerrado of central Brazil (Anura: Hylidae). *Herpetologica*, 67 (3), 288-299. DOI: 10.1655/HERPETOLOGICA-D-10-00067.1
67. Pombal, JP., Carvalho, RR., Canelas, MAS., Bastos, RP. 2010. A new *Scinax* of the *S. catharinae* species group from Central Brazil (Amphibia: Anura: Hylidae). *Zoologia (Curitiba Impresso)*, 27 (5), 795-802. DOI: 10.1590/S1984-46702010000500016
68. Prado, CPA., Uetanabaro, M., Haddad, CFB. 2005. Breeding activity patterns, reproductive modes, and habitat use by anurans (Amphibia) in a seasonal environment in the Pantanal, Brazil. *Amphibia-Reptilia*, 29 (1), 211-221. DOI:10.1590/S1984-46702012000100003
69. Pugliese, A., Baeta, D., Pombal, JP. 2009. A new species of *Scinax* (Anura: Hylidae) from Rocky Montane Fields in Southeastern and Central Brazil. *Zootaxa* 688 (1). DOI: 10.5281 /zenodo.15810

70. Ramalho, WP., Batista, VG., Lozi, LRP. 2014. Amphibians and reptiles along the middle Aporé river, central Brazil. *Neotropical Biology and Conservation*, 9 (3), 147-160. DOI: 10.4013/nbc.2014.93.04
71. Rodrigues, DJ., Uetanabaro, M., Lopes, FS. 2007. Breeding biology of *Phyllomedusa azurea* Cope, 1862 and *P. sauvagii* Boulenger, 1882 (Anura) from the Cerrado, Central Brazil. *Journal of Natural History*, 41, 1841-1851. DOI: 10.1080/00222930701507220
72. Sabagh, LT., Ferreira, VL., Rocha, CFD. 2010. Living together, sometimes feeding in a similar way: the case of the syntopic hylid frogs *Hypsiboas raniceps* and *Scinax acuminatus* (Anura: Hylidae) in the Pantanal of Miranda, Mato Grosso do Sul State, Brazil. *Brazilian Journal of Biology*, 70 (4), 955-959. DOI:10.1590/S1519-69842010000500006
73. Santana, DJ., Orrico, VGD., São-Pedro, VA., Feio, RN. 2013. Distress call of *Hypsiboas leucocheilus* (Caramaschi and Niemeyer, 2003) (Anura, Hylidae). *Herpetology Notes*, 6 (1), 289-293.
74. Santos, DL., de Andrade, SP., Victor, EP., Vaz-Silva, W. 2014. Amphibians and reptiles from southeastern Goiás, Central Brazil. *Check List*, 10 (1), 131. DOI: 10.15560/10.1.131
75. Silva, DDE., da Cruz, AD., Bastos, RP., Telles, MPD., Diniz, JAF. 2008. Morphometric and genetic differentiation among populations of *Eupemphix nattereri* (Amphibia, Anura, Leiuperidae) from central Brazil. *Iheringia Série Zoologia*, 98 (4), 493-500. DOI:10.1590/S0073-47212008000400013.

76. Souza, FL., Prado, CPA., Sugai, JLMM., Ferreira, VL., Aoki, C., Landgraf, P., Strussmann, C., Avila, RW., Rodrigues, DJ., Albuquerque, NR, Terra, J., Uetanabaro, M., Beda, AF., Piatti, L., Kawashita-Ribeiro, RA., Delatorre, M., Faggioni, GP., Demczuk, SDB., Duleba, S. 2017. Amphibian diversity of Mato Grosso do Sul State, Brazil. *Iheringia Série Zoologia*, 107. DOI:/10.1590/1678-4766e2017152
77. Souza, FL., Uetanabaro, M., Landgraf-Filho, P., Piatti, L., Prado, CPA. 2010. Herpetofauna, municipality of Porto Murtinho, Chaco region, state of Mato Grosso do Sul, Brazil. *Check List*, 6 (3), 470-475. DOI: 10.15560/6.3.470.
78. Sugai, JLMM., Souza, FL., Filho, PL., Sczesny-Moraes, EA. 2014. *Rhinella scitula* (Caramaschi & Niemeyer, 2003) (Amphibia: Anura: Bufonidae) *Check List*, 10 (3). DOI: 10.15560/10.3.694
79. Sugai, JLMM, Terra, J. de S., Ferreira, VL. 2014. Anurans of a threatened savanna area in western Brazil. *Biota Neotropica*, 14 (1), e20134058. DOI: 10.1590/S1676-06034058
80. Telles, MPC., Diniz, JAF., Bastos, RP., Soares, TN., Guimaraes, LD., Lima, LP. 2007. Landscape genetics of *Physalaemus cuvieri* in Brazilian Cerrado: Correspondence between population structure and patterns of human occupation and habitat loss. *Biological Conservation*, 139 (1), 37-46. DOI:10.1016/j.biocon.2007.06.003
81. Tessarolo, G., Maciel, NM., Morais, AR., Bastos, RP. 2016. Geographic variation in advertisement calls among populations of *Dendropsophus cruzi* (Anura: Hylidae). *Herpetological Journal*, 26 (3), 219-224.

82. Uetanabaro, M., Souza, FL., Landgref Filho, P., Beda, AF., Brandão, RA. 2007. Amphibians and reptiles of the Serra da Bodoquena National Park, Mato Grosso do Sul, central Brazil. *Biota Neotropica*, 7 (3), 279-289. DOI:10.1590/S1676-06032007000300030
83. Valerio, LM., Dorado-Rodrigues, TF., Chupel, TF., Penha, J., Strussmann, C. 2016. Vegetation Structure and Hydroperiod Affect Anuran Composition in a Large Neotropical Wetland. *Herpetologica*, 72 (3), 181-188. DOI:10.1655/Herpetologica-D-14-00069.1
84. Vaz-Silva, W., Maciel, NM. 2011. A new cryptic species of *Ameerega* (Anura: Dendrobatidae) from Brazilian Cerrado. *Zootaxa*, 2826, 57-68. DOI: 10.11646/zootaxa.2826.1.3